


AMENDMENTS TO THE CLAIMS

1. (Original) An energy curable intaglio printing ink, curing by free radical, acrylate chemistry, and including a photoinitiator comprising an acylphosphine oxide, whereby the ink does not fluoresce in at least the visible light wavelength region when exposed to ultraviolet light.
2. (Original) A printing ink according to Claim 1, in which said acylphosphine oxide is a compound of formula (I):




in which:

R^1 and R^2 are independently selected from $\text{C}_1 - \text{C}_{12}$ alkyl groups, $\text{C}_3 - \text{C}_7$ cycloalkyl groups, aryl groups, aralkyl groups, heterocyclic groups having from 3 to 7 ring atoms, of which at least one is a sulphur or nitrogen atom and groups of formula $-\text{COR}^3$,


or R^2 represents a group of formula $-\text{OR}^4$, where R^4 represents a $\text{C}_1 - \text{C}_6$ alkyl group,

an aryl group, an aralkyl group or a cationic group or atom, or R^2 represents a group of formula (II):




where X represents a $\text{C}_1 - \text{C}_{18}$ alkylene group or a biphenyldiyl group, and R^5 represents any of the groups represented by R^1 or a group of formula $-\text{OR}^4$, and

R^3 represents a $C_1 - C_6$ alkyl group, an aryl group, a heterocyclic group having from 3 to 7 ring atoms, of which at least one is a sulphur or nitrogen atom, or a group of formula (IV):



where Y represents a $C_1 - C_{18}$ alkylene group a phenylene group, a cyclohexylene group or a biphenyldiyl group.

3. (Original) A printing ink according to Claim 2, in which said acylphosphine oxide is a compound of formula (V):



in which:


R^1 represents a $C_1 - C_{12}$ alkyl group, a cyclohexyl group or an aryl group; and

R^3 is as defined in Claim 2.

4. (Original) A printing ink according to Claim 3, in which each R^3 is independently selected from phenyl groups and phenyl groups having from 1 to 4 halogen and/or $C_1 - C_6$ alkyl and/or $C_1 - C_6$ alkoxy substituents.

5. (Currently amended) A printing ink according to ~~Claim 3 or~~ Claim 4, in which R^* represents a $C_1 - C_{12}$ alkyl group or a phenyl group which is unsubstituted or has from 1 to 3 $C_1 - C_6$ alkyl or alkoxy substituents.

6. (Original) A printing ink according to Claim 2, in which said acylphosphine oxide is a compound of formula (VI):




in which:

R^1 and R^3 are as defined in Claim 2; and

R^{2a} represents a $\text{C}_1 - \text{C}_{12}$ alkyl group, a $\text{C}_3 - \text{C}_7$ cycloalkyl group, an aryl group, an aralkyl group, a heterocyclic group having from 3 to 7 ring atoms, of which at least one is a sulphur or nitrogen atom, or a group of formula— OR^4 , where R^4 is defined in Claim 2.

7. (Original) A printing ink according to Claim 2, in which said acylphosphine oxide is a compound of formula (VII):



in which:

n is 0 or 1;

R^6 represents a $\text{C}_1 - \text{C}_{12}$ alkyl group, a $\text{C}_1 - \text{C}_6$ alkoxy group, a phenyl group or a phenyl group having from 1 to 4 substituents selected from $\text{C}_1 - \text{C}_6$ alkyl groups, $\text{C}_1 - \text{C}_6$ alkoxy groups and halogen atoms; and


$R^7, R^8, R^9, R^{10}, R^{11}$ and R^{12} are the same as or different from each other and each represents a hydrogen atom, a $C_1 - C_6$ alkyl group, a $C_1 - C_6$ alkoxy group or a halogen atom.

8. (Original) A printing ink according to Claim 2, in which said acylphosphine oxide is 2,4,6-trimethylbenzoyl diphenylphosphine oxide, bis(2,4,6-trimethylbenzoyl) phenylphosphine oxide, ethyl 2,4,6-trimethylbenzoyl diphenylphosphinate or bis(2,6-dimethoxybenzoyl)-2,4,4-trimethylpentylphosphine oxide.

9. (Original) A method of producing a document, which comprises intaglio printing on a substrate which does not fluoresce in at least the visible region under ultraviolet light using an intaglio printing ink, curing by free radical acrylate chemistry, and which includes a photoinitiator comprising an acylphosphine oxide, and curing the ink by exposure to a source of radiant energy.

10. (Original) A method according to Claim 9, in which said radiant energy is ultraviolet.

11. (Currently amended) A method according to ~~Claim 9 or~~ Claim 10, in which said acylphosphine oxide is a compound of formula (I):




in which:

R^1 and R^2 are independently selected from $C_1 - C_{12}$ alkyl groups, $C_3 - C_7$ cycloalkyl groups, aryl groups, aralkyl groups, heterocyclic groups having from 3 to 7 ring atoms, of which at least one is a sulphur or nitrogen atom and groups of formula $-COR^3$,


or R^2 represents a group of formula $-OR^4$, where R^4 represents a $C_1 - C_6$ alkyl group,

an aryl group, an aralkyl group or a cationic group or atom, or R^2 represents a group of formula (II):




where X represents a C₁ – C₁₈ alkylene group or a biphenyldiyl group, and R⁵ represents any of the groups represented by R¹ or a group of formula –OR⁴, and

R³ represents a C₁ – C₆ alkyl group, an aryl group, a heterocyclic group having from 3 to 7 ring atoms, of which at least one is a sulphur or nitrogen atom, or a group of formula (IV):



where Y represents a C₁ – C₁₈ alkylene group a phenylene group, a cyclohexylene group or a biphenyldiyl group.

12. (Original) A method according to Claim 11, in which said acylphosphine oxide is a compound of formula (V):



in which:


R¹ represents a C₁ – C₁₂ alkyl group, a cyclohexyl group or an aryl group; and

R³ is as defined in Claim 11.

13. (Original) A method according to Claim 12, in which each R^3 is independently selected from phenyl groups and phenyl groups having from 1 to 4 halogen and/or $C_1 - C_6$ alkyl and/or $C_1 - C_6$ alkoxy substituents.

14. (Currently amended) A method according to ~~Claim 12~~ or Claim 13, in which R^1 represents a $C_1 - C_{12}$ alkyl group or a phenyl group which is unsubstituted or has from 1 to 3 $C_1 - C_6$ alkyl or alkoxy substituents.

15. (Original) A method according to Claim 11, in which said acylphosphine oxide is a compound of formula (VI):




in which:

R^1 and R^3 are as defined in Claim 11; and

R^{2a} represents a $C_1 - C_{12}$ alkyl group, a $C_3 - C_7$ cycloalkyl group, an aryl group, an aralkyl group, a heterocyclic group having from 3 to 7 ring atoms, of which at least one

is a sulphur or nitrogen atom, or a group of formula $-OR^4$, where R^4 is defined in Claim 11.

16. (Original) A method according to Claim 11, in which said acylphosphine oxide is a compound of formula (VII):



R^7 , R^8 , R^9 , R^{10} , R^{11} and R^{12} are the same as or different from each other and each represents a hydrogen atom, a $C_1 - C_6$ alkyl group, a $C_1 - C_6$ alkoxy group or a halogen atom.

17. (Original) A method according to Claim 11, in which said acylphosphine oxide is 2,4,6-trimethylbenzoyl diphenylphosphine oxide, bis(2,4,6-trimethylbenzoyl)phenylphosphine oxide, ethyl 2,4,6-trimethylbenzoyl diphenylphosphinate or bis(2,6-dimethoxybenzoyl)-2,4,4-trimethylpentylphosphine oxide.

18. (Currently amended) A method according to ~~any one of Claims 9 to 17~~ Claim 9, in which the substrate is a paper.


19. (Currently amended) A method according to ~~any one of Claims 9 to 18~~ Claim 9, in which the document is a security document.

20. (Original) A method according to Claim 19, in which the security document is a banknote.

21. (Canceled)

22. (New) A method according to Claim 12, in which R^1 represents a $C_1 - C_{12}$ alkyl group or a phenyl group which is unsubstituted or has from 1 to 3 $C_1 - C_6$ alkyl or alkoxy substituents.

23. (New) A method according to Claim 9, in which said acylphosphine oxide is a compound of formula (I):




in which:

R^1 and R^2 are independently selected from $C_1 - C_{12}$ alkyl groups, $C_3 - C_7$ cycloalkyl groups, aryl groups, aralkyl groups, heterocyclic groups having from 3 to 7 ring atoms, of which at


least one is a sulphur or nitrogen atom and groups of formula $-\text{COR}^3$, R^1 and R^2 are independently selected from $\text{C}_1 - \text{C}_{12}$ alkyl groups, $\text{C}_3 - \text{C}_7$ cycloalkyl groups, aryl groups, aralkyl groups, heterocyclic groups having from 3 to 7 ring atoms, of which at

or R^2 represents a group of formula $-\text{OR}^4$, where R^4 represents a $\text{C}_1 - \text{C}_6$ alkyl group, an aryl group, an aralkyl group or a cationic group or atom, or R^2 represents a group of formula (II):



where X represents a $\text{C}_1 - \text{C}_{18}$ alkylene group or a biphenyldiyl group, and R^5 represents any of the groups represented by R^1 or a group of formula $-\text{OR}^4$, and

R^3 represents a $\text{C}_1 - \text{C}_6$ alkyl group, an aryl group, a heterocyclic group having from 3 to 7 ring atoms, of which at least one is a sulphur or nitrogen atom, or a group of formula (IV):



where Y represents a $\text{C}_1 - \text{C}_{18}$ alkylene group a phenylene group, a cyclohexylene group or a biphenyldiyl group.

24. (New) A printing ink according to Claim 3, in which R^* represents a $\text{C}_1 - \text{C}_{12}$ alkyl group or a phenyl group which is unsubstituted or has from 1 to 3 $\text{C}_1 - \text{C}_6$ alkyl or alkoxy substituents.